



60HZ Iron Wire Bending Machine Butt Welding 2D Full Automatic Box

Our Product Introduction

for more products please visit us on wire-bendingmachine.com


Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: J2-6
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 days or negotiation
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Product Name: Bending + Butt Welding
- Machine Type: Fully Automatic
- Core Components: Spring Machine System, Precision Servo, CNC Machining
- Control System: Servo + Spring Machine System + Precision Control Current Electric Box
- Number Axes: 4
- Wire Delivery Accuracy: $\pm 0.1\text{mm}$
- Input Power: 380V, 50/60HZ
- Port: Shenzhen, China
- Highlight: **60HZ Iron Wire Bending Machine, Iron Wire Bending Machine Butt Welding, Full Automatic Box Bending Machine**



Product Description

2D bending machine, full-automatic box butt welding machine

Alias:

Bending machine, bending and butt welding machine,
bending frame + butt welding machine,
2D bending machine,
2D folding frame machine,

Product Description

All plane forming and bending shapes that need to be butted can be fully automated by this machine.

*Features

Bent frame + butt welding, it is a molding machine, can bend frame, can bend other 2D shape, all molding machine function has.

It can also be butt welded. For the products that need interface, it can directly form butt welding, which is more efficient, labor-saving and more humanized.

Taiwan water-cooled transformer, with temperature control device, is more durable and better welded.



Welding transformer
pure copper
Water circulation
cooling
High performance
silicon steel

Technical parameter

Model	J2DDH2-6MM	J2DDH2-8MM	J2DDH-Y-2-8MM
Number axes	4	4	3
Processing line diameter(MM)	Hard wire ø2-4	Hard wire ø2-6	Hard wire ø2-8
	Flexible cord ø2-6	Flexible cord ø2-8	Flexible cord ø2-10
Number of delivery wheels (Group)	3	3	3
Control system	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01	32-bit high-performance processor, can store 2048 files, programming accuracy 0.01
Maximum wire speed(M/MIN)	80	70	60
Movement direction	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized	rotating die can be raised and lowered, and the positive and negative motion can be realized

Wire delivery accuracy(mm)	±0.1	±0.1	±0.1
Power of butt welding transformer	water-cooling 50KVA	water-cooling 60KVA	water-cooling 50KVA
Solenoid valve and quantity	Taiwan Air TAC 15	Taiwan Air TAC 15	Taiwan Air TAC 12
Input power	380V,50/60HZ	380V,50/60HZ	380V,50/60HZ

widely used

- (1) Daily hardware: kitchen display rack, shelf, egg laying device, cabinet basket, refrigerator rack, toilet rack.
 (2) Wire craft products, lighting molding products, fishing gear parts products, wine rack, family fruit tray, garden flower rack, Christmas wire gifts.
 (3) All kinds of cage processing: bird cage, dog cage, pet cage, breeding cage, rat cage, etc. Hanger, shoe hanger, curtain hook, shelf hook, display hook, etc



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China