



## 380V Horizontal Butt Welding Machine Precision Flash Welding Equipment

### Our Product Introduction

for more products please visit us on [wire-bendingmachine.com](http://wire-bendingmachine.com)


#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JT-80
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case packaging
- Supply Ability: 100 Set/Sets per Month



#### Product Specification

- Voltage: 380V
- Applicable Industries: Hardware Furniture And Hardware Products
- Weight (KG): 450
- Advantage: Professional Production Of Welding Equipment For More Than 20 Years
- Feature: Butt Welded Hollow Pipe, Flat Iron, Or Relatively Large Round Bar
- After Warranty Service: One Year Warranty, Except For Wearing Parts
- Highlight: **Horizontal Butt Welding Machine,  
CE Butt Welding Machine,  
Precision Flash Welding Equipment**



## Product Description

### Flash butt welder Flash butt welding machine

**Nickname**

JS-100 flash welder,  
flash butt welder,  
large round bar butt welder,  
square pipe butt welder,  
iron pipe butt welder,  
flat iron butt welder


**Function and application:**

horizontal butt welding of large iron wire, wide flat iron and iron pipe. A welding interface is completed in a few seconds. The equipment has the advantages of high efficiency, high precision, firm welding, good compactness, no false welding, no pores and no slag inclusion.

**Main application areas**

1. Welding of various tableware, kitchen and tableware tools;
2. Butt welding of bicycles, motorcycles, car rims and other metal rings;
3. Butt welding of various metal wires, metal belts, iron bars and building reinforcement;
4. "L" shape and "t" shape welding of various round pipes and square pipes;
5. Diagonal welding of window frame and door frame.

**Our advantages**



Welding sample display



Technical parameters:					
Model	JD-80K600L	JD-100K600L	JD-125K600L	JD-150K600L	JD-200K600L
Rated power KVA	80	100	125	150	200
Input voltage V	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ	380V 50/60HZ
Maximum short circuit current A	27000	29000	31000	32000	34000
MM Diameter of welded iron pipe MM	≤20	≤30	≤35	≤40	≤50

Cooling water volume L/LIN	10	10	10	12	12
Weight KG	450	500	550	580	630



**Dongguan Jinghongxiang Automation Equipment Co., Ltd.**



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China