



1000MM Fast Hydraulic Trimming Machine 5.5KW PV2 For Mesh Edge

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: 5.5KW
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export wooden case
- Delivery Time: 5-10 days or negotiation
- Payment Terms: L/C, T/T
- Supply Ability: 100 Set/Sets per Month



Product Specification

- Condition: New
- Machine Type: Trimming Machine
- Weight (KG): 800
- Warranty Of Core Components: 1 Year
- Control System: Hydraulic System
- Function: Trimming Mesh Edge
- Advantage: The Whole Machine Is Stable And Fast, And Can Be Trimmed Within 1.5m At A Time.
- Port: Shenzhen, China
- Highlight: **Fast Hydraulic Trimming Machine,
1000MM Hydraulic Trimming Machine**

Product Description

Large Mesh Trimming Machine 1000MM

name

JX-1000 Hydraulic trimming machine,
large mesh trimming machine,
fast trimming machine





Trim Style

突出来的都需要修整
protruding iron head needs to be cut off



Application of trimming machine

It is mainly used for trimming the periphery of wire metal mesh, with flat port and simple operation.

For example: highway or railway fence, building ground is paved with wire mesh, pet cage mesh, storage rack mesh, barbecue mesh, etc.

Features of this machine, the length of the blade is 1000MM, Barbed wire less than 1000MM can be completed at one time.

Performance characteristics:

1. This hydraulic trimming machine is specialized in trimming the mesh with large edges. The mesh length can be 1m or more

at one time. Within the allowable range, a large mesh can be repaired only four times.


2. The machine has a large mesh support adjustment frame, which makes it easier and easier to operate. It takes only 2 seconds to cut each side within 1m, which is very simple and efficient.

3. Large motor, large oil pump, fast start and strong power. You are a good helper for the ideal large order. Thickened sheet metal, specially fixed, the whole machine is very firm and stable.


4. The cutter adopts special materials for special treatment, which is very durable, the cutting products are neat, and can be treated at a certain angle.

5. Inching start, set the position, step on the foot, and the switch works once, which is very random.

Structure show



Wire mesh display



The technical parameters of quick repair press trimming machine

| | | | |
|---------------------------------------|-------------|-------------|-------------|
| model | JX-1000 | JX-1250 | JX-1500 |
| Hydraulic system | 5.5KW+PV2 | 5.5KW+PV2 | 7.5KW+PV2 |
| Number of cylinders | 100*50-50*1 | 100*50-50*1 | 100*50-50*2 |
| Maximum cutting length at one time MM | ≤1000 | ≤1250 | ≤1500 |
| cutting speed M/MIN | 1 | 1 | 1 |
| Overall dimension (L x W x H) CM | 125*110*190 | 150*110*190 | 175*110*190 |
| weight KG | 1000 | 1170 | 1500 |

Warm tip:

our products are constantly upgrading and adjusting.
If the pictures displayed are different from the real object,
the real object shall prevail, and will be confirmed when placing the order.

Our service:

I have been specializing in the production of welding forming equipment for more than 20 years, with strong technology, sophisticated experience, leading product quality in the industry, and have a good reputation in the industry. Each equipment is equipped with spare parts of excellent quality. Each equipment has undergone strict ex factory aging commissioning and long-term work trial. Besides, there are professional after-sales service technicians who can provide video guidance on installation and debugging at any time during working hours.

"All equipment shall be guaranteed for one year and maintained for life. You buy with peace of mind, using is very satisfactory!!



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China